





Media Release Date: October 27, 2010

LARGE-SCALE FISH FARM PRODUCTION OFFSETS ENVIRONMENTAL GAINS

New scientific tool assesses impact of global aquaculture

Industrial-scale aquaculture production magnifies environmental degradation, according to the first global assessment of the effects of marine finfish aquaculture (e.g. salmon, cod, turbot and grouper) released today. This is true even when farming operations implement the best current marine fish farming practices.

University of Victoria marine ecologist Dr. John Volpe and his research team have developed the Global Aquaculture Performance Index (GAPI), an unprecedented system for objectively measuring the environmental performance of fish farming.

"Scale is critical," says Volpe. "Over time, the industry has made strides in reducing the environmental impact per ton of fish, but this does not give a complete picture. Large-scale farming of salmon, for example, even under the best current practices, creates large-scale problems."

The fish farming industry is an increasingly important source of seafood, especially as many wild fisheries are in decline. Yet farming of many marine fish species has been criticized as causing ecological damage. For instance, the researchers found that the relatively new marine finfish aquaculture sector in China and other Asian countries lags in environmental performance.

Adds Volpe: "The fastest growing sector is Asia, where we found a troubling combination of poor environmental performance and rapidly increasing production."

With support from the Lenfest Ocean Program, Volpe and his team developed GAPI, which uses 10 different criteria to assess and score environmental impacts. Incorporating information such as the application of antibiotics and discharge of water pollutants, GAPI allows researchers to gauge which farmed species and countries of production have the best or worst environmental performance.

The researchers examined the environmental impact of marine fish farming per ton of fish produced and the cumulative environmental impact for each country producing a major farmed species.

"GAPI provides a valuable tool for developing environmentally responsible fish farming. Governments can use GAPI to inform policies and regulations to minimize the environmental footprint of fish farming. Farmers can use it to improve production practices. And buyers can use it to compare and select better, more environmentally friendly seafood options," says Chris Mann, senior officer and director of the Pew Environment Group's Aquaculture Standards Project, which collaborated on the work.

For further information on GAPI, including a summary of the methodology and findings, visit www.lenfestocean.org.

The GAPI 2010 report released today is based on 2007 data, the most recent year for which data for all aquaculture indicators are available. GAPI analysis will be updated periodically as additional data becomes available. For additional information, updated research and analysis, please see the GAPI website at www.gapi.ca.

The Lenfest Ocean Program supports scientific research aimed at forging solutions to the challenges facing the global marine environment. The program was established in 2004 by the Lenfest Foundation and is managed by the Pew Environment Group.

The University of Victoria is a national and international leader in the study of the oceans, with expertise as far-ranging as ocean-climate interactions, ocean observation systems, physical and chemical oceanography, marine ecology, coastal resource management and ocean engineering.

--30---

Media Contacts:

Dr. John Volpe (School of Environmental Studies) at 250-472-4298 or jpv@uvic.ca Jo Knight (Lenfest Ocean Program) at 202-552-2070 or 202-664-4504 or jknight@pewtrusts.org Valerie Shore (UVic Communications) at 250-721-7641 or vshore@uvic.ca

Follow us on Twitter at http://twitter.com/uvicnews

UVic Communications Services, PO Box 1700 STN CSC Victoria, BC V8W 2Y2 Tel. (250) 721-7636 Fax (250) 721-8955 E-Mail: ucom@uvic.ca